

KIND TO HOOVES, DURABLE, ECONOMIC

Regupol®

# EQUINE SAFETY SURFACES



**Regupol**  
(Australia) Pty. Ltd.

## Elastic Flooring and Wall Covering for Happy Horses

Regupol Australia has been servicing the Australian Equine Industry for over 25 years, delivering the highest quality interlocking rubber pavers, tiles, sheets and mattings. Using **Regupol®**, its well-known brand material, we have developed a range of elastic floor and wall covering for the equine sector.

**Regupol®** products provide the animals with a permanently elastic base to stand on. The floor possesses both insulating and slip resistance properties. The result is a calming effect which makes horses feel at ease. Injuries, inflammations and stress are reduced. The acoustic insulating properties of **Regupol®** floor covering ensures a quiet and tranquil environment. The hooves of unshoed horses will not suffer or exhibit any signs of wear. **Regupol®** floor covering has provided the ideal solution for keeping horses in an economic and clean environment that is suited to their needs.



The mother company BSW is a member of the German Horse Industry (GHI)

### The Benefits

- Kind to hooves, joints and tendons
- Skid-proof
- Ensures a quiet environment
- Excellent thermal insulation
- Permanent elasticity
- Reduces the amount of straw required
- Water permeable
- No floor sealing
- Absolute frost-resistant
- Will not rot
- Easy to install
- Easy to maintain
- Clean appearance
- Economic
- Recyclable
- No final layer required

## Regupol® Elastic Tiles

**Regupol® Elastic Tiles** can be laid out into many great looking pattern layouts. They are also a very popular surface for walls, reducing significantly the impact of horses kicking out, especially in tension areas such as wash bays where this immediate reaction is very common. The tiles look great on floors too, both indoors and outdoors.

### Key Benefits

- Your safety too – deliver super anti-slip in wet and dry conditions.
- Healthy choices – horses thrive in a dust free and safe environment.
- No need to stress – a tension free horse is a happy horse.
- Durable – the ultimate shock absorbent surface for horses.
- Looks great – special square tile pattern looks great on walls.
- Keeping things quiet – a calm horse walks on **Regupol®**.
- Cost effective – especially when injuries and vet bills are reduced.
- Proven track record – of keeping horses safe for over 25 years.

### Product Data

- Dimensions: 1000 x 500 mm
- Thickness: 15 mm, 22 mm and 43 mm
- Weight: From 16 kgs up to 36 kgs /sq.m
- Colour: Terracotta and Black

Dimensional Tolerances: Length/Width  $\pm 1\%$   
 Thickness  $\pm 2$  mm

### Applications

- Racetracks, parade rings, winners circles
- Stables, walkways, breeze ways and walls
- Horse Walkers, Breeding farms, stallion mounds



## Regupol® Interlocking Pavers

**Regupol® Interlocking Pavers** deliver high impact and high performance in all equine applications. The original and still the best **Regupol® Interlocking Pavers** have been installed in equine facilities in Australia for over 25 years.

**Regupol® Interlocking Pavers** deliver super anti-slip in wet and dry conditions. Healthy horses thrive in a dust free and safe environment. The ultimate shock absorbent surface for horses. The terracotta cobblestone enhances any area and is extremely quiet under foot.

### Key Benefits

- Safety First – delivers super anti-slip in wet and dry conditions.
- Healthy – horses thrive in a dust free and safe environment.
- Stress Free – horses remain calm on thick, cushiony surface.
- Comfortable – the ultimate shock absorbent surface for horses.
- Looks great – the terracotta cobblestone enhances any area.
- Sounds great – extremely quiet under foot, impact sound

### Product Data

- Dimensions: 200 x 160 mm dogbone
- Thickness: 43 mm (21 mm on request)
- Weight: Approx. 38 kgs/sq.m
- Colour: Terracotta or Black

Dimensional Tolerances: Length/Width  $\pm 1\%$   
 Thickness  $\pm 2$  mm

### Applications

- Racetracks, parade rings, winners circles
- Stables, walkways, breeze ways and walls
- Horse Walkers
- Breeding farms, stallion mounds



## Regupol® Stable Mats

**Regupol® Stable Mats** offer so many benefits for horses and their owners because they can be used in wash bays and stables without gluing them down. In fact they can be used anywhere you want to offer your horse guaranteed comfort and a healthy environment.

### Key Benefits

- Safe – delivers all the safety aspects of **Regupol® Interlocking Pavers** and more.
- Healthy alternative: Produces no dust.
- Hygienic – permeable to water and urine with good drainage.
- Durable – the ultimate shock absorbent surface for horses.
- Clean – easy to muck out stables and hose out fresh daily.
- Keeping things quiet – horses can rest easily on **Regupol®**
- Cost effective – huge reduction in bedding expenses long term.
- Do it yourself – easy to install, no adhesion required.


### Product Data

- Dimensions: 1000 x 1000 mm
- Thickness: 50 mm
- Weight: 36 kgs/sq.m
- Colour: Terracotta or Black

Dimensional Tolerances: Length/Width  $\pm 1\%$   
Thickness  $\pm 2$  mm

### Applications

- Washbays
- Stables
- High impact areas



## Regupol® Horseline Aussie Gold

**Regupol® Horseline Aussie Gold** is a recycled rubber matting designed specifically for horses. This special formula of durability and comfort is used for horse floats, wash bays, walls and floors, crushes, breezeways, stable floors and more.

The continuous rolls offer quick and easy installation backed by exceptional slip resistance.

### Key Benefits


- Safe – high strength and high slip resistance in the wet and dry.
- Anti-fatigue – kind to hoofs and joints when travelling.
- Comfortable – horses love taking a safe journey on **Regupol®**
- Clean – an easy to clean product
- Keeping things quiet – horses remain calm on **Regupol®**
- Cost effective – designed to keep horses safe whilst travelling.
- Proven – to keep you and your horse safe and confident under foot.
- Do it yourself – complete installation kits are available.

### Product Data

- Dimensions: rolls 1.25 m x 20 metres
- Thickness: 8 mm and 12 mm
- Weight: From 8-12 kgs/sq.m
- Colour: Black with green and yellow flecks

### Applications

- Washbays
- Stable floors and wall
- Crushes
- Horsefloats
- Day stalls
- Breezeways
- Ramps



## Regupol® Flooring for Veterinary Hospitals

**Regupol® Floorings for Veterinary Hospitals** are a custom tailored floor and wall seamless system – recommended for veterinary hospitals and recovery floors. Our unique floor and wall system is designed for ultimate comfort for the animal while providing an easily maintained, bacteria free environment. The special system ensures an equal thickness, density and shock absorbency.

### Key Benefits

- Hygienic – the floor and wall junctions are totally sealed.
- Safe – offering comfort in recovery, custom tailored to suit any horse or animal.
- Reassuring – during and post surgery safety is no.1 priority.
- Proven – installations over 10 years in Australia.

### Product Data


- Custom designed products.
- Walls: Up to 50 mm thickness
- Floors: Up to 50 mm thickness
- Colour: Various options available

### Applications

- Surgery Floors
- Recovery Rooms
- X-ray Rooms
- Quarantine Areas



The picture shows the composition of a **Regupol®** flooring for recovery boxes.



Application	Regupol® Elastic Tile E15	Regupol® Elastic Tile E22	Regupol® Elastic Tile E43	Regupol® Interlocking Pavers VB21	Regupol® Interlocking Pavers VB43	Regupol® Stable Mats	Regupol® Horseline Aussie Gold	Regupol® Horseline Aussie Gold	Regupol® Vet System	Regupol® Vet System
Thickness	15 mm	22 mm	43 mm	21 mm	43 mm	50 mm	8 mm	12 mm	6-10 mm	48-52 mm
Stable Floors	✓	✓	✓			✓	✓	✓		
Walls	✓	✓				✓	✓			
Breezeways	✓	✓		✓	✓		✓	✓		
Parade Rings		✓		✓	✓					
Winners Circles		✓		✓	✓					
Walkways	✓	✓	✓	✓	✓		✓	✓		
Horse Walkers			✓		✓			✓		
Stallion Mounds		✓	✓			✓				
Wash Bays		✓	✓	✓	✓	✓	✓	✓		
Crushes		✓	✓	✓	✓	✓	✓	✓		
Horse Floats							✓	✓		
Day Stalls		✓				✓	✓	✓		
Ramps	✓	✓		✓			✓	✓		
Breeding Barns		✓		✓			✓	✓		
Tack Rooms	✓						✓	✓		
Sales Facilities		✓		✓	✓		✓	✓		
Saddling Enclosures		✓		✓	✓					
X-Ray Rooms							✓	✓	✓	
Surgery Floors									✓	
Recovery Rooms										✓
Quarantine Areas									✓	✓
Vet Hospitals									✓	

**Note:** This is a guide only to selecting the right product for your application. For high traffic areas it is recommended to use the thicker product option. It is recommended that you check with one of your Regupol Team Members for confirmation of the right product for your area. Please check the fire and slip classifications for your building to match with the everroll® rubber flooring material type that is suitable for your project – see downloads at [www.regupol.com.au](http://www.regupol.com.au) or contact us 02 4624 0050.

**Installation:** Installation methods for each application and product are available. Contact us 02 4624 0050 to ensure the correct installation and adhesion method is used.

## Your contact to Regupol

Regupol (Australia) Pty. Ltd.  
ABN 97 094 053 399  
155 Smeaton Grange Road  
SMEATON GRANGE NSW 2567  
Australia

Phone: 02 4624 0050  
Fax 02 4647 4403  
sales@regupol.com.au  
www.regupol.com.au



The technical information given in the documents are guideline values. They are liable to manufacturing tolerances, which may vary depending on the type of underlying properties. The currently valid versions of this information are provided on our internet pages and in the PDF versions of this catalogue. The PDF versions are available to download from our website. We do not assume liability for spelling or printing errors.

