

A photograph of four people (two men and two women) of diverse backgrounds exercising on stationary bikes in a modern gym. They are all leaning forward in a focused posture. The gym has large windows in the background. The text is overlaid on the top half of the image.


THE FLOORING SOLUTION FOR YOUR
FITNESS FACILITIES
INDOOR CYCLING

OUR FLOOR FOR INDOOR CYCLING

Durable and sound-absorbing:

Indoor cycling is extremely popular. It is strenuous, but the benefits are very effective in many ways. It improves stamina and endurance and builds up the leg muscles.


In cycling, it's not just the athletes that move but the bikes. They exert force on the floor. But that's no problem for our **REGUPOL** everroll fitness floors, as they absorb this force transmission. And similarly, they are robust, durable and sound-reducing.



Rolls

Durable | stabilise the spinning bikes and protect the sub-base | natural or sealed | standard thicknesses: 4 or 8 mm

Our products: REGUPOL everroll classic, REGUPOL everroll ultimate



Modular tiles

Available as pre-cut modular tiles. Create your own creative space, by using different coloured squares, hexagons or planks.

Our products: REGUPOL everroll range

Our advice:


Increase your indoor cyclists' motivation with the right design: with our colours, you can brighten up your group training rooms or even an concrete look with our grey tones. You can find all our colours at the back of the brochure.

AVAILABLE


COLOURS

FOR INDOOR CYCLING

REGUPOL everroll ultimate Available in natural or sealed.




Manila [1105]
4 | 8 mm




Osaka [1187]
4 mm




Lima [1113]
4 mm




Boston [1112]
4 mm




Seattle [1010]
4 mm



Galway [1009]
4 mm



Yuma [1030]
4 mm




Lagos [1008]
4 mm




Melbourne [1074]
4 mm




Amsterdam [1036]
4 mm




Jakarta [3003]
4 mm



Kýpros [3002]
4 mm




Oslo [1208]
4 mm




Paris [1085]
4 | 8 mm




Berlin [2005]
4 mm




Mons [3138]
4 | 8 mm




Pompeji [1194]
4 mm



Island [3000]
4 | 8 mm




Nome [2004]
4 mm



Helsinki [3001]
4 mm



Kush [2001]
4 mm




Goa [2000]
4 mm




Deviations from the colours shown are possible due to production batches and brochure print.

REGUPOL everroll vitality


Available in natural **edition 4.0** or sealed.



Berlin [3116]
4 mm)




Nome [3115]
4 mm)




Kush [3112]
4 mm

REGUPOL everroll classic


Available in natural **edition 4.0** or sealed.




Auckland [3241]
4 | 8 mm



Nome [3121]
4 | 8 mm




Palau [3031]
4 | 8 mm




Sydney [3240]
4 | 8 mm




Bern [3122]
4 | 8 mm




Kush [3118]
4 | 8 mm




Lhasa [3180]
4 | 8 mm




Amsterdam [3145]
4 | 8 mm




Goa [3033]
4 | 8 mm




Manaus [3032]
4 | 8 mm




Melbourne [3029]
4 | 8 mm




Berlin [3030]
4 | 8 mm



Mons [3256]
4 | 8 mm



Perth [3239]
4 | 8 mm



Marrakech [3276]
8 mm



edition 4.0 = brilliant colours and nonreflecting surface



Deviations from the colours shown are possible due to production batches and brochure print.

INDOOR CYCLING AREAS

This system reflects a typical application with **REGUPOL everroll** floor coverings. For all other applications please contact the **REGUPOL** sports division. Please note that drawings are not to scale and are for illustration purposes only.



DISCLAIMER: The above information is given in good faith as a suggested guide in specifying REGUPOL everroll rubber flooring, no guarantee or warranty is expressed or implied. Any circumstances not covered by this guide should be referred to REGUPOL Australia or its Distributors for any particular attention required. There are, however, many factors that may affect the outcome of projects using our products that are beyond our control. REGUPOL Australia Pty. Ltd. cannot be responsible for poor climate conditions, inadequate surface preparation, poor application techniques, not observing curing times, improper thinning of adhesives or any variable beyond our control. No liability is accepted by REGUPOL Australia Pty. Ltd., our employees, distributors, representatives or agents, for any loss or damage, direct or indirect, that may result from using the information and/or suggestions as actual conditions for use that are beyond our control. All materials should be checked/tested for their suitability to the prevailing site conditions.



REGUPOL Australia Pty. Ltd.

155 Smeaton Grange Road
Smeaton Grange NSW 2567
phone +61 2 4624 0050
rubbersales@regupol.com.au

REGUPOL Germany GmbH & Co. KG

REGUPOL America LLC

REGUPOL Acoustics Middle East FZE

REGUPOL Schweiz AG

REGUPOL Zebra Athletics LLC

BSW Shanghai CO. LTD.

www.regupol.com.au